



STATE BOARD OF EQUALIZATION
PROPERTY TAX DEPARTMENT
450 N STREET, SACRAMENTO, CALIFORNIA
PO BOX 942879, SACRAMENTO, CALIFORNIA 94279-0064
1-916-274-3350 • FAX 1-916-285-0134
www.boe.ca.gov

SEN. GEORGE RUNNER (RET.)
First District, Lancaster

FIONA MA, CPA
Second District, San Francisco

JEROME E. HORTON
Third District, Los Angeles County

DIANE L. HARKEY
Fourth District, Orange County

BETTY T. YEE
State Controller

CYNTHIA BRIDGES
Executive Director

May 27, 2015

TO COUNTY ASSESSORS:

No. 2015/027

**LASSEN COUNTY
ASSESSMENT PRACTICES SURVEY**

A copy of the [Lassen County Assessment Practices Survey](#) Report is enclosed for your information. The Board of Equalization (BOE) completed this survey in fulfillment of the provisions of sections 15640-15646 of the Government Code. These code sections provide that the BOE shall make surveys in each county and city and county to determine that the practices and procedures used by the county assessor in the valuation of properties are in conformity with all provisions of law.

The Honorable Daniel Schlueter, Lassen County Assessor (newly elected), was provided a draft of this report and given an opportunity to file a written response to the findings and recommendations contained therein. The report, including the assessor's response, constitutes the final survey report, which is distributed to the Governor, the Attorney General, and the State Legislature; and to the Lassen County Board of Supervisors, Grand Jury, and Assessment Appeals Board.

Fieldwork for this survey was performed by the BOE's County-Assessed Properties Division from September through October 2013. The report does not reflect changes implemented by the assessor after the fieldwork was completed.

The former assessor, Mr. Kenneth Bunch, and his staff gave their complete cooperation during the survey. We gratefully acknowledge their patience and courtesy during the interruption of their normal work routine.

Sincerely,

/s/ Dean R. Kinnee

Dean R. Kinnee
Deputy Director
Property Tax Department

DRK:dcl
Enclosure